



 PRODUCT-DETAILS

E 9F8 GG6

E 9F8 GG6 Fuse link



General Information

Extended Product Type	E 9F8 GG6
Product ID	2CSM257483R1801
EAN	8012542574835
Catalog Description	E 9F8 GG6 Fuse link
Long Description	E 9F8 GG6 is a 8,5x31,5 mm cylindrical fuse for circuits protection

Technical

Fuse Type	gG
Release Type	gG: Used in general protection of cables and lines in installation and industrial applications
Construction Material	Ceramic
Fuse Size	8x32
Contact Material	copper silver plated (Cu/Ag)

Electrical

Rated Voltage (U _r)	400 V
Rated Current (I _n)	6 A
Maximum Breaking Capacity	20 kA
Power Loss	at Rated Operating Conditions per Pole 0.83 W

Material Compliance

RoHS Information	9AKK106713A5625
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	27/01/2014
REACH Declaration	9AKK108467A9482
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20240429
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Environmental

Environmental Information	See RoHS Information
---------------------------	----------------------

Dimensions

Product Net Width	8 mm
Product Net Height	31 mm
Product Net Depth / Length	9 mm
Product Net Weight	4 g
Dimension Diagram	9AKK108466A8531

Ordering

Package Level 1 Units	box 10 piece
Package Level 1 Gross Weight	0.045 kg

Certificates and Declarations

Cut-off Current Characteristic	9AKK108466A9060
Declaration of Conformity - CE	9AKK106713A5625
I ² t Characteristic	9AKK108466A9081

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Popular Downloads

Data Sheet, Technical Information	9AKK107991A8329
Cut-off Current Characteristic	9AKK108466A9060
I ² t Characteristic	9AKK108466A9081
Time-Current Characteristic Curve	9AKK108467A0138

External Classifications and Standards

ETIM 9	EC002704 - Cylindrical fuse
eClass	V11.0 : 27142002
Object Classification Code	F
Standards	IEC 60269-2

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Protection and Safety Devices → Cylindrical and D0 Fuses

